



PothHille

Eurosoy 800 Container Wax 3428

Eurosoy Container Wax 3428 is a European origin 100% soy wax
White in colour with excellent glass adhesion characteristics
Can be used as a standalone container wax or as a blend component
Eurosoy 800 mixes well with other waxes, stearic acids or paraffin
Has a slightly lower melt point than conventional soy container waxes

INSTRUCTIONS FOR USE

1. Melt the Eurosoy 800 to 10-15°C above melting point (see product info for melting point)
2. It is important to check that the wax is completely melted and transparent
3. After melting cool down to 45°C (+/- 5°C)
4. Pour into container
5. One or two pours may be required
6. Allow to cure before burning

FACTORS INFLUENCING THE FINISHED LOOK OF THE CANDLE

Heating Temperature

If the wax has not been completely melted (completely transparent) crystallisation may cause frostings

Pouring Temperature

Varying the pouring temperature can cause changes in appearance after cooling

Containers and moulds need to be at room temperature or higher

Cooling Temperature

Cooling too fast may cause wet spots and cracks. Cooling too slow may cause frosting

Maximum Recommended Fragrance - 6%

Vegan Friendly

Supplied in 25 kilo blocks and packed in cartons with poly liner

www.poth-hille.co.uk Email: info@poth-hille.co.uk



Issue No2 Jul 20